



# ACRYLAM

REFLECTING SURFACES



Termite & Pest Proof



FLAME RETARDANT  
Fire Retardant




Fully Water Proof



CHEMICAL RESISTANT  
Resistant to Chemical



Eco Friendly



Glossy Surface



LIGHT WEIGHT  
Light Weight



Suitable for Indoor Use

Meraki Laminates Industries Pvt. Ltd.

Web : [www.meraki-pvc.com](http://www.meraki-pvc.com)

Email : [info@meraki-pvc.com](mailto:info@meraki-pvc.com)

CUSTOMER CARE NUMBER

+91 9812 067 883

follow us on:



AN ISO 9001:2015 CERTIFIED COMPANY



WhatsApp Virtual Assistant



Scan this QR to start a WhatsApp chat with MERAKI LAMINATES



# ACRYLAM

REFLECTING SURFACES



COLLECTION  
2023-24

INDIA'S  
**1st**  
MANUFACTURER OF  
ACRYLIC LAMINATES

DREAM  
COLLECTION  
2023-24



# ACRYLAM

REFLECTING SURFACES



INDUSTRY LEADER



ACRYLAM  
REFLECTING  
SURFACES



SCAN TO DOWNLOAD  
E-CATALOGUE

MERAKI, the most trusted brand of India for Interior Products, started in 2015 with the manufacturing of PVC Laminates as the First Indian Manufacturer and within a short span of time, MERAKI proved its success many times with the introduction of many Innovative Products with an excellent range, MERAKI, along with the industry leader in PVC LAMINATE INDUSTRY, Now started a New Venture of manufacturing ACRYLIC LAMINATES as 'ACRYLAM'- Reflecting Surfaces as the FIRST INDIAN MANUFACTURER , with a standard thickness of 1.5 mm, These offered Acrylic Laminates are 100% Anti-Scratch and the choice of every High End Interior needs of Customers.


These Acrylic Laminates comes in Ultra High-Gloss Finish in various range like Ultra Radiant, Auto Metallic, Marble Finish, Wood Veneers, Mirror Finish and Natural Solid with an exclusive feature of 6H hardness compatibility which gives your Home Interiors an extra-ordinary reflection. Our Acrylic Laminates comes with many exclusive features like Anti-Yellow Technology, Extreme Shiny Surface and Water-Resistant. In order to meet the premium needs of Acrylic Laminates of customers in market, We bring to-use a highly efficient manufacturing unit with a special German Technology where our employees carry out the manufacturing process in the most effective manner and eco-friendly environment.

MERAKI LAMINATES INDUSTRIES PVT. LTD is a widely sought after name amongst manufacturers of Interior Products. We have been operational from Sonipat, Haryana since 2015.

COMPANY PROFILE



FIRST INDIAN MANUFACTURER  
OF ACRYLIC LAMINATES



SCAN TO EXPLORE





SOLID  
HI-GLOSS


THE TRENDING  
FORMS

ACRYLAM  
REFLECTING  
SURFACES


# SOLID HI-GLOSS




## ACRYLAM REFLECTING SURFACES




MRK-501A-AR  
SOLIDS



MRK-506-AR  
SOLIDS




MRK-532-AR  
SOLIDS



MRK-503-AR  
SOLIDS



MRK-522-AR  
SOLIDS



MRK-502A-AR  
SOLIDS



MRK-553-AR  
SOLIDS



SOLID HI-GLOSS

# SOLID HI-GLOSS




## ACRYLAM REFLECTING SURFACES




MRK-550-AR  
SOLIDS



MRK-552-AR  
SOLIDS



MRK-528-AR  
SOLIDS



MRK-549-AR  
SOLIDS



MRK-557-AR  
SOLIDS



MRK-558-AR  
SOLIDS



MRK-530-AR  
SOLIDS



This collection features a beautiful Acrylic Laminates that have been chosen as per the modern-day demands of decors.

timelessly **exotic**

SOLID HI-GLOSS



EXTRA  
DURABLE



ULTRA  
HIGH GLOSS



ECO  
FRIENDLY



WATER  
RESISTANT




100%  
ACRYLIC

# SOLID HI-GLOSS



Laminate Used  
MRK-510-AR


## ACRYLAM REFLECTING SURFACES



MRK-516-AR  
SOLIDS



MRK-551-AR  
SOLIDS



MRK-546-AR  
SOLIDS



MRK-510-AR  
SOLIDS



MRK-540-AR  
SOLIDS



MRK-555-AR  
SOLIDS




MRK-511-AR  
SOLIDS



MRK-554-AR  
SOLIDS



MRK-531-AR  
SOLIDS



# SOLID HI-GLOSS



Laminate Used  
MRK-547-AR

Laminate Used  
MRK-538-AR

## ACRYLAM REFLECTING SURFACES



MRK-547-AR  
SOLIDS




MRK-556-AR  
SOLIDS



MRK-538-AR  
SOLIDS



MRK-505-AR  
SOLIDS



MRK-541-AR  
SOLIDS



MRK-537-AR  
SOLIDS



MRK-515-AR  
SOLIDS



Surfaces



mesmerizing

ACRYLAM  
REFLECTING  
SURFACES

Ground Speed 0 km/h  
Altitude 0000 feet  
Outside Air Temperature 30 °C

EMBRACE THE  
**FASCINATION** | REFLECTING  
VENEERS

**M**<sup>®</sup>  
**MERAKI**  
ACRYLIC LAMINATES



# REFLECTING VENEERS




Laminate Used  
MRK-12032-AR

ACRYLAM  
REFLECTING  
SURFACES



mesmerizing  
Surfaces



MRK-12032-AR  
REFLECTING VENEERS



REFLECTING  
VENEERS



MRK-12023-AR  
REFLECTING VENEERS



# REFLECTING VENEERS



Laminate Used  
MRK-12034-AR


ACRYLAM  
REFLECTING  
SURFACES



mesmerizing  
Surfaces



MRK-12034-AR  
REFLECTING VENEERS



MRK-12029-AR  
REFLECTING VENEERS



REFLECTING  
VENEERS

# REFLECTING VENEERS



Laminate Used  
MRK-12033-AR

ACRYLAM  
REFLECTING  
SURFACES



MASTER  PIECE



MRK-12033-AR  
REFLECTING VENEERS



REFLECTING  
VENEERS

# REFLECTING VENEERS



ACRYLAM  
REFLECTING SURFACES



Majestic  
Sights



MRK-12021-AR  
REFLECTING VENEERS



REFLECTING VENEERS



MRK-12028-AR  
REFLECTING VENEERS



# REFLECTING VENEERS



Laminate Used  
MRK-12026-AR

ACRYLAM  
REFLECTING  
SURFACES



Voguish  
Venture



MRK-12026-AR  
REFLECTING VENEERS



MRK-12024-AR  
REFLECTING VENEERS



REFLECTING  
VENEERS

ACRYLAM  
REFLECTING  
SURFACES

ULTRA RADIANT  
COLLECTION


TIMELESSLY  
EXOTIC



# ULTRA RADIANT COLLECTION




ACRYLAM  
REFLECTING  
SURFACES



MRK-901-AR  
ULTRA RADIANT

Matching Edgeband Available



MRK-902-AR  
ULTRA RADIANT

Matching Edgeband Available



MRK-903-AR  
ULTRA RADIANT

Matching Edgeband Available



ULTRA RADIANT  
COLLECTION



MRK-904-AR  
ULTRA RADIANT

Matching Edgeband Available



MRK-905-AR  
ULTRA RADIANT

Matching Edgeband Available



# ULTRA RADIANT COLLECTION



ACRYLAM  
REFLECTING  
SURFACES




MRK-906-AR  
ULTRA RADIANT

Matching Edgeband Available



MRK-907-AR  
ULTRA RADIANT

Matching Edgeband Available




MRK-908-AR  
ULTRA RADIANT

Matching Edgeband Available



MRK-909-AR  
ULTRA RADIANT

Matching Edgeband Available



MRK-910-AR  
ULTRA RADIANT

Matching Edgeband Available



mesmerizing  
Surfaces



# GALAXY PEARL COLLECTION



Laminate Used  
MRK-954-AR

ACRYLAM  
REFLECTING  
SURFACES



MRK-951-AR  
GALAXY PEARL  
Matching Edgeband Available



MRK-952-AR  
GALAXY PEARL  
Matching Edgeband Available



MRK-953-AR  
GALAXY PEARL  
Matching Edgeband Available



MRK-954-AR  
GALAXY PEARL  
Matching Edgeband Available



Quintessential  
charm



EXTRA  
DURABLE



ULTRA  
HIGH GLOSS



ECO  
FRIENDLY



WATER  
RESISTANT



100%  
ACRYLIC



GALAXY PEARL  
COLLECTION

ACRYLAM  
REFLECTING  
SURFACES

Laminate Used  
MRK-3016-AR

REFLECTING  
MARBLES

IMPERIALLY  
TEMPTING

**M**<sup>®</sup>  
MERAKEI  
ACRYLIC LAMINATES

# REFLECTING MARBLES




Laminate Used  
MRK-3015-AR

ACRYLAM  
REFLECTING  
SURFACES



Always  
exceptional



MRK-3015-AR  
REFLECTING MARBLES



REFLECTING  
MARBLES



MRK-3016-AR  
REFLECTING MARBLES



# REFLECTING MARBLES



Laminate Used  
MRK-3029-AR

Laminate Used  
MRK-3013-AR

ACRYLAM  
REFLECTING  
SURFACES



Brilliant  
creations



MRK-3013-AR  
REFLECTING MARBLES




MRK-3029-AR  
REFLECTING MARBLES



REFLECTING  
MARBLES

# REFLECTING MARBLES



## ACRYLAM REFLECTING SURFACES



MRK-3017-AR  
REFLECTING MARBLES



MRK-3021-AR  
REFLECTING MARBLES



MRK-3018-AR  
REFLECTING MARBLES



MRK-3011-AR  
REFLECTING MARBLES



# REFLECTING MARBLES




Laminate Used  
MRK-3023-AR

ACRYLAM  
REFLECTING  
SURFACES



MRK-3023-AR  
REFLECTING MARBLES



MRK-3022-AR  
REFLECTING MARBLES



Natural  
enigma

REFLECTING  
MARBLES

# REFLECTING MARBLES




Laminate Used  
MRK-3030-AR

Laminate Used  
MRK-3014-AR

ACRYLAM  
REFLECTING  
SURFACES



Invigorating  
designs



MRK-3030-AR  
REFLECTING MARBLES



REFLECTING  
MARBLES



MRK-3014-AR  
REFLECTING MARBLES




# REFLECTING MARBLES



Laminate Used  
MRK-3028-AR


ACRYLAM  
REFLECTING  
SURFACES



Iconic  
ESSENCE



MRK-3027-AR  
REFLECTING MARBLES



MRK-3028-AR  
REFLECTING MARBLES



REFLECTING  
MARBLES



# REFLECTING MARBLES



Laminate Used  
MRK-3009-AR

ACRYLAM  
REFLECTING  
SURFACES



Fabulous  
elements



MRK-3009-AR  
REFLECTING MARBLES



REFLECTING  
MARBLES



MRK-3031-AR  
REFLECTING MARBLES




# SPARKLING REFLECTORS



Laminate Used  
MRK-1003-AR

ACRYLAM  
REFLECTING  
SURFACES




MRK-1001-AR  
SPARKLING REFLECTORS



MRK-1003-AR  
SPARKLING REFLECTORS




MRK-1022-AR  
SPARKLING REFLECTORS



MRK-1002-AR  
SPARKLING REFLECTORS



MRK-1006-AR  
SPARKLING REFLECTORS



mesmerizing  
Surfaces

# REFLECTING MIRRORS

NOTE

- \* PLEASE NOTE THAT MRK-100-AR IS REFLECTIVE MIRROR SERIES
- \* WE RECOMMEND TO USE ONLY MDF BOARDS AS BASE MATERIAL & WATER BASED OR NEUTRAL ADHESIVE FOR PASTING OF THIS MIRROR SERIES
- \* IN CASE IF YOU ARE USING SELF ADHESIVE MIRROR SHEET, THEN WATER BASED OR NEUTRAL ADHESIVE IS REQUIRED TO PUT ON BASE ONLY.



Laminate Used  
MRK-122-AR



ACRYL <sup>^ M</sup>  
REFLECTING SURFACES



**M**  
MERAKI  
ACRYLIC LAMINATES




MRK-121-AR  
REFLECTING MIRRORS



MRK-122-AR  
REFLECTING MIRRORS



MRK-123-AR  
REFLECTING MIRRORS



MRK-124-AR  
REFLECTING MIRRORS



MRK-125-AR  
REFLECTING MIRRORS



MRK-126-AR  
REFLECTING MIRRORS



# INDEX

S. No.	SOLID HIGH GLOSS	PAGE No.
01	501A	04
02	502A	04
03	506	04
04	503	04
05	553	04
06	532	04
07	522	04
08	550	06
09	552	06
10	528	06
11	549	06
12	557	06
13	558	06
14	530	06
15	516	08
16	510	08
17	511	08
18	551	08
19	540	08
20	554	08
21	546	08
22	555	08
23	531	08
24	547	10
25	538	10
26	541	10
27	556	10
28	505	10
29	537	10
30	515	10

S. No.	REFLECTING VENEERS	PAGE No.
01	12032	14
02	12023	14
03	12034	16
04	12029	16
05	12033	18
06	12021	20
07	12028	20
08	12024	22
09	12026	22

S. No.	ULTRA RADIANT	PAGE No.
01	901	26
02	902	26
03	903	26
04	904	26
05	905	26
06	906	28
07	907	28
08	908	28
09	909	28
10	910	28

S. No.	GALAXY PEARLS	PAGE No.
01	951	30
02	952	30
03	953	30
04	954	30

S. No.	REFLECTING MARBLES	PAGE No.
01	3015	34
02	3016	34
03	3013	36
04	3029	36
05	3017	38
06	3021	38
07	3018	38
08	3011	38
09	3023	40
10	3022	40
11	3030	42
12	3014	42
13	3028	44
14	3027	44
15	3009	46
16	3031	46

S. No.	SPARKLING REFLECTORS	PAGE No.
01	1001	48
02	1002	48
03	1003	48
04	1006	48
05	1022	48

S. No.	REFLECTING MIRRORS	PAGE No.
01	121	50
02	122	50
03	123	50
04	124	50
05	125	50
06	126	50

## TECHNICAL SPECIFICATION

THICKNESS : 1.5 mm (+/- 10%)

STANDARD SHEET SIZE : 2440mm x 1220mm

### CLEANING & MAINTENANCE

- \* Do not place any hot substrate or cookware directly on laminates, we do not recommend laminates on table top.
- \* Do not use thinner or any harsh cleaning agent to clean the laminate as it can give damage to surface of laminate.
- \* Cleaning should be done with water along with a smooth cloth.
- \* Exposure to temperature above 30°C may cause damage to surface.

### CUTTING & INSTALLATION

- \* These acrylic laminates can be cut by standard wood working tools.
- \* Laminates can be easily pasted by using Acrylic to Wood Adhesives which are easily available in market.
- \* Clean the laminate and base substrate by soft brush or soft cloth before application.
- \* The pressing of laminate should be done from middle and move towards the sides and corners of laminate sheet.
- \* Sufficient pressure should be given to MERAKI ACRYLIC LAMINATE for almost 15 hours to get a good bonding strength.

### IMPORTANT GUIDELINES

To avoid Air Bubbles/Crack and Yellow Patch/Color Fading problems , follow the instructions -

- \* Use of correct adhesive for pasting of laminates to avoid air bubble after installation.
- \* Make use of good quality and even base substrate (MDF, Plywood, Particle Board) as low quality products may absorb moisture in uncertain weather and then it loses moisture and creates air bubble.
- \* If the sheets are in roll form , Before application , they should be kept straight under pressure for minimum 48 hours for getting better results.
- \* Give sufficient pressure to laminate upto 15 hours to get good bonding strength and to avoid any bubbles.
- \* Laminate sheet should not exposed to direct sunlight to avoid the color fading and yellow patches.
- \* Do not use any harsh chemical or cleaning agent to clean the surface.
- \* Do not place any hot substrate or cookware directly on laminates.

**NOTE :** Meraki warrants that all its products are free from manufacturing defects and perfectly ideal for use in normal conditions. Meraki is not liable for any complaints in the following cases :

- \* Color variations from batch to batch production.
- \* Improper handling of product or any transportation damage.
- \* Improper installation of product.
- \* Outdoor applications.
- \* Exposure of laminate sheet to direct sunlight.

IT IS ADVISABLE TO CHECK THE BATCH NUMBER TO AVOID COLOR VARIATION.  
MERAKI IS NOT LIABLE FOR ANY COMPLAINS IF THE PRODUCT IS NOT PROPERLY HANDLED,  
INSTALLED, MAINTAINED ACCORDING TO THE GIVEN GUIDELINES.

KINDLY REMOVE PROTECTIVE FILM AFTER 7 DAYS OF INSTALLATION OF LAMINATE SHEET.

